

**CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS
CERTIFICATE OF ACCREDITATION**

LABORATORY NAME AND ADDRESS
CLEVELAND CLINIC MERCY HOSPITAL-POCT
1320 MERCY DRIVE NORTHWEST
CANTON, OH 44708

CLIA ID NUMBER
36D0934535

EFFECTIVE DATE
08/08/2024

LABORATORY DIRECTOR
AIDA SAFAR M.D.

EXPIRATION DATE
08/07/2026

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



Monique Spruill
Monique Spruill, Director
Division of Clinical Laboratory Improvement & Quality
Quality & Safety Oversight Group
Center for Clinical Standards and Quality

118 certs2_070924

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

<u>LAB CERTIFICATION (CODE)</u>	<u>EFFECTIVE DATE</u>
ROUTINE CHEMISTRY (310)	11/27/1999
TOXICOLOGY (340)	11/28/2023
HEMATOLOGY (400)	08/08/1998

LAB CERTIFICATION (CODE) EFFECTIVE DATE

For reference only:
Original on file at
Cleveland Clinic Mercy Hospital Laboratory
Department Pathology and Laboratory Medicine
1320 Mercy Drive NW
Canton, Ohio 44708

exp 8/07/2026 dlp

FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT WWW.CMS.GOV/CLIA
OR CONTACT YOUR LOCAL STATE AGENCY. PLEASE SEE THE REVERSE FOR
YOUR STATE AGENCY'S ADDRESS AND PHONE NUMBER.
PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.