

**CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS**

CERTIFICATE OF ACCREDITATION

LABORATORY NAME AND ADDRESS

CLEVELAND CLINIC MERCY HOSPITAL-POCT
1320 MERCY DRIVE NORTHWEST
CANTON, OH 44708

CLIA ID NUMBER

36D0934535

EFFECTIVE DATE

08/08/2024

LABORATORY DIRECTOR

DR. AIDA SAFAR

EXPIRATION DATE

08/07/2026

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



Gregg Brandush, Director
Division of Clinical Laboratory Improvement & Quality
Quality & Safety Oversight Group
Center for Clinical Standards and Quality

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

LAB CERTIFICATION (CODE)	EFFECTIVE DATE	LAB CERTIFICATION (CODE)	EFFECTIVE DATE
CHEMISTRY - ROUTINE CHEMISTRY (310)	11/27/1999		
CHEMISTRY - TOXICOLOGY (340)	11/28/2023		
HEMATOLOGY (400)	08/08/1998		

**PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.
FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT WWW.CMS.GOV/CLIA.**