

CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS

CERTIFICATE OF WAIVER

LABORATORY NAME AND ADDRESS

CLEVELAND CLINIC LAKE FAMILY HEALTH CENTER
LABORATORY
432 KING CHURCH AVE SW
UNIONTOWN, OH 44685

CLIA ID NUMBER

36D1031977

EFFECTIVE DATE

07/09/2026

LABORATORY DIRECTOR

DR. LINLIN YANG

EXPIRATION DATE

07/08/2028

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



A handwritten signature in blue ink, appearing to read "Gregg Brandush". The signature is fluid and cursive.

Gregg Brandush, Director
Division of Clinical Laboratory Improvement & Quality
Quality & Safety Oversight Group
Center for Clinical Standards and Quality

If this is a Certificate of Waiver, it certifies the laboratory to perform only examinations or procedures that have been approved as waived tests by the Department of Health and Human Services.